



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/528,245	11/03/2005	Christian Boehlau	7395-000022/NP 2515	
27572 HARNESS, D	7590 05/04/2007 ICKEY & PIERCE, P.L.C.	Christian Boehlau 7395-000022/NP EXAMINER KO, TONY ART UNIT 2878	INER	
P.O. BOX 828			KO, TONY	
BLOOMFIELD HILLS, MI 48303		•	ART UNIT	PAPER NUMBER
			2878	
		•		
			MAIL DATE	DELIVERY MODE
			05/04/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Summary		10/528,245	BOEHLAU ET AL.			
		Examiner	Art Unit			
		Tony Ko	2878			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SH WHIC - Exter after - If NO - Failu Any I	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATES as a solution of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. In period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	Lely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status						
2a)⊠	Responsive to communication(s) filed on This action is FINAL . 2b) This Since this application is in condition for allowar closed in accordance with the practice under <i>E</i>	action is non-final. nce except for formal matters, pro				
Dispositi	on of Claims					
 4) Claim(s) 1,2,4-11 and 15-27 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1,2,4-9,11,15-17,19-23 and 25-27 is/are rejected. 7) Claim(s) 10,18 and 24 is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Applicati	on Papers					
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine.	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority ι	under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice 3) Information	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) ter No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Art Unit: 2878

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- 2. Claim 2 recites the limitation "the device" in line 3. There is insufficient antecedent basis for this limitation in the claim.
- 3. Claim 9 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear how the receiver device matched to a shape of a total radiation front jointly generated by the transmitter modules. It is unclear what part of the receiver device is matched to a shape of the radiation. That is, it is unknown to match the shape of the detector, or the shape of the individual detecting element to the radiation.
- 4. Claim 22 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The use of "preferably", "in particular" renders the claim indefinite because it is unclear whether the limitation following the phrase are part of the claimed invention.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Application/Control Number: 10/528,245

Art Unit: 2878

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Page 3

- 2. Claims 1,2,4-9, 11,15-17,19-22 and 25-27 are rejected under 35 U.S.C. 102(b) as being anticipated by Wangler (U.S. Patent 5,793,491).
- Regarding claim 1, Wangler discloses (Figs. 3 and 4) an optoelectronic sensing 3. device, comprising a transmitter device (200) for the transmission of electromagnetic radiation, at least one receiver device (400) associated with the transmitter and at least one deflection device (302), with which radiation transmitted by the transmitter device can be directed into a monitored zone and radiation reflected from the monitored zone can be directed onto the receiver device, characterized in that the transmitter device includes a plurality of transmitter modules (202), which are spatially separate from one another (202 are located in different side of the polygon) and which each transmit radiation along their own propagation path, the transmitter modules are aligned such that fronts of the transmitted radiation together from a total radiation front in the monitored zone which is larger than the fronts of the transmitted radiation from one of the transmitter modules and can be controlled for alternate transmission of radiation pulses; and the deflection device (polygon) has at least one planar reflection surface (polygon consists of several faces) for radiation transmitted by the transmitter modules and reflected from the monitored zone with the radiation transmitted by the transmitter modules and the radiation reflected from the monitored zone being incident on the reflection surface at regions spatially separate from one another, the deflection device

(polygon) rotatable configured to carry out a continuous rotary movement at a constant rotational speed.

- 4. Regarding claims 2, as understood, Wangler discloses the propagation paths of the radiation transmitted by the transmitter modules extend free of overlap in a region near the device.
- 5. Regarding claim 4, Wangler discloses the transmitter modules are each made for the transmission of an elongated radiation front, with the elongated radiation front being a continuous radiation line or being formed by discrete radiation spots arrange along a line (by scanning of the polygon).
- 6. Regarding claim 5. Wangler discloses the transmitter modules each includes at least one laser diode (202) as a radiation source which is designed for the transmission of a line-shaped radiation front.
- 7. Regarding claim 6, Wangler discloses an optical transmitter (collimating lens) is positioned in front of each transmitter module.
- 8. Regarding claim 7, Wangler discloses the transmitter modules and/or optical transmitter systems positioned in front of the transmitter modules are made of the same construction. That is, the construction of the transmitter modules comprising laser diode and laser driver.
- 9. Regarding claim 8, Wangler discloses a common receiver (optical receiver) is associated with the transmitter.
- 10. Regarding claim 9, as understood, the receiver device matched to a shape of a total radiation front jointly generated by the transmitter modules.

Application/Control Number: 10/528,245

Art Unit: 2878

11. Regarding claim 11, Wangler discloses an optical receiver system is associated with each receiver device and is disposed in a common transmitter/receiver plane (the plane where 305 is located) together with optional transmitter systems (206) positioned in front of the transmitter modules.

Page 5

- 12. Regarding claim 15, Wangler discloses a reflection surface (302) of the deflection device extends at an inclination to a common transmitter/receiver plane (where 305 is located) of the transmitter modules and of the receiver device and in that the deflection device is rotatable around an axis extending approximately perpendicular to the transmitter/receiver plane.
- 13. Regarding claim 16, Wangler discloses the transmitter modules (202) are arranged adjacent to the receiver device (detector).
- 14. Regarding claim 17, Wangler discloses (Fig. 3) the transmitter modules (202) are arranged symmetrically on oppositely disposed sides of the receiver device.
- 15. Regarding claim 19, Wangler discloses the spacing between transmitter modules is maximized such that the radiation transmitted by the transmitter modules is deflected by marginal regions of the deflection device.
- 16. Regarding claim 20, Wangler discloses the propagation path of the radiation transmitted by at least one transmitter module (202), and the receiving path of the radiation reflected from the monitored zone and directed onto the receiver device, extend free of overlap (116) in a near region of the sensing device.
- 17. Regarding claim 21, Wangler discloses the transmitter modules can be controlled for the alternate transmission of radiation pulses. That is, laser is pulsed source.

Art Unit: 2878

18. Regarding claim 22, Wangler discloses method for the operation of an optoelectronic sensing device, in particular a laser scanner, comprising a transmitter device (202) for the transmission of electromagnetic radiation, preferably pulsed electromagnetic radiation, at least one receiver device (detector) associated with the transmitter device and at least one deflection device (300), with which radiation transmitted by the transmitters device (202) and at least one deflection device (300), with which radiation transmitted by the transmitters device can be directed into a monitored zone and radiation reflected from the monitored zone (116) can be directed onto the receiver device, wherein the transmitter device includes a plurality of transmitter modules (202s), preferably precisely two transmitter modules, which are spatially separated from one another and which each transmit radiation along their own propagation path, and wherein the transmitter modules are controlled such that the transmitter modules transmit the radiation with a time offset and in particular alternately in the form of radiation pulses in each cases.

- 19. Regarding claim 25, Wangler discloses the device is defined as a laser scanner.
- 20. Regarding claim 26, Wangler discloses the plurality of transmitter modules is further defined as two transmitter modules (two laser diodes)
- 21 Regarding claim 27, Wangler discloses the optical transmitter system is in the form of a lens (206).

Claim Rejections - 35 USC § 103

Art Unit: 2878

22. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 23. Claim 23 rejected under 35 U.S.C. 103(a) as being unpatentable over Wangler in view of Strickland (U.S. Patent 5,231,393).
- 24. Regarding claim 23, Wangler discloses the sensing device comprising a transmitter device (200) for the transmission of electromagnetic radiation, at least one receiver device (400) associated with the transmitter and at least one deflection device (302), with which radiation transmitted by the transmitter device can be directed into a monitored zone and radiation reflected from the monitored zone can be directed onto the receiver device, characterized in that the transmitter device includes a plurality of transmitter modules (202), which are spatially separate from one another (202 are located in different side of the polygon) and which each transmit radiation along their own propagation path, the transmitter modules are aligned such that fronts of the transmitted radiation together from a total radiation front in the monitored zone which is larger than the fronts of the transmitted radiation from one of the transmitter modules and can be controlled for alternate transmission of radiation pulses; and the deflection device (polygon) has at least one planar reflection surface (polygon consists of several faces) for radiation transmitted by the transmitter modules and reflected from the monitored zone with the radiation transmitted by the transmitter modules and the radiation reflected from the monitored zone being incident on the reflection surface at

Art Unit: 2878

regions spatially separate from one another, the deflection device (polygon) rotatable configured to carry out a continuous rotary movement at a constant rotational speed.

Wangler does not teach to attach such speed sensor on a vehicle. Strickland discloses (Fig. 4) to attach speed meter to a vehicle. It is well known to attach speed measurement device to a vehicle. It would have been obvious to a person of ordinary skill in the art at the time of the invention to place a speed measurement device on a vehicle to make it portable to detect speed of other vehicles in alternate locations.

Response to Arguments

25. Applicant's arguments with respect to claims filed on 2/02/07 have been considered but are most in view of the new ground(s) of rejection.

Allowable Subject Matter

- 26. Claims 10, 18 and 24 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 27. The following is a statement of reasons for the indication of allowable subject matter: Prior art does not teach the receiver device is divided to a plurality of receiver regions which can be evaluated separately from one another which each include one ore more photodiodes, with at least one receiver region being associated with each transmitter module. Prior art does not teach the an axis of rotation of the deflection device extends centrally through the receiver device and the transmitter modules are

Art Unit: 2878

arranged equally far away from the axis of rotation. Prior art does not teach transmitting elongated radiation front in the direction of travel of the vehicle and adjusting the transmitter modules such that the elongated radiation fronts extend in a vertical direction such that an elongated vertical over radiation front is formed.

Conclusion

28. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Ko whose telephone number is 571-272-1926.

The examiner can normally be reached on Monday-Friday 7:30 - 4:00.

Art Unit: 2878

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on 571-272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TKO

Supervisory Patent Examiner Technology Center 2800